

Schedule of Permit Application Fees and Timelines

For permits categories in Fee Regulations (310 CMR 4.00); or recorded in the Permit Information Management System (PIMS) or Accela Automation (AA)

20-Jul-2018

Sorted by Program/Division, Subprogram, and Permit Type Code

Contents: I. Overview
II. Details

Reviewing Office Key

HQ = Headquarters Boston

HQ/Reg = Headquarters/Region

Region = Central/Northeast/Southeast/Western

WES = Wall Experiment Station Lawrence

WMO = Watershed Mgmt Office Worcester

I. Overview

Program/Division: AIR QUALITY CONTROL		Applications: 24		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Asbestos and Construction Notifications					
AQ04	Asbestos Removal Notification (ANF-001)	N	\$100	HQ	eDEP
AQ05	Asbestos Removal Blanket Notification	N	\$200	Region	eDEP
AQ06	Construction/Demolition Notification	N	\$100	HQ	eDEP
AQ35	Revised Asbestos Removal Notification	N	\$35	HQ	eDEP
AQ36	Non-Traditional Asbestos Removal Abatement Practices	N	\$600	Region	Paper
Emission Caps					
AQ5025	25% or 50% of OP Emission Cap Notification	N	NoFee	Region	AA
Emission Control Plans					
AQ08A	Emission Control Plan NOx/VOC State Only Review	N	\$1,880	Region	AA
AQ08B	Emission Control Plan NOx/VOC State & EPA Review	N	\$22,310	Region	AA
AQ22	Emission Control Plan - Municipal Waste Combustor	N	\$8,820	Region	AA
AQ25	Emission Control Plan - Coal Power Plant	N	NoFee	Region	PIMS
AQ30	Emission Control Plan - Carbon Dioxide Budget	N	NoFee	HQ	AA
Emission Reduction Credits					
AQ18	Emission Reduction Banking & Trading Credit Certification	N	Formula	Region	AA
Modeling					
AQMM	Modeling Protocol	N	NoFee	HQ	AA
Operating Permits					
AQ10	Operating Permit Minor Modification	N	NoFee	Region	AA/PIMS
AQ11	Operating Permit Administrative Amendment	N	NoFee	Region	AA/PIMS
AQ12	Operating Permit Renewal	N	NoFee	Region	AA
AQ13	Operating Permit Significant Modification	N	NoFee	Region	AA/PIMS
AQ14	Operating Permit Initial	N	Formula	Region	AA

Schedule of Permit Application Fees and Timelines

Program/Division: AIR QUALITY CONTROL		Applications: 24		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Plan Approval Applications					
AQ01	Plan Approval Limited Fuel/Process	N	\$645	Region	AA
AQ02	Plan Approval Non-Major Comprehensive	N	\$2,370	Region	AA
AQ03	Plan Approval Major Comprehensive	N	\$24,305	Region	AA
AQ33	Plan Approval Limited/Comprehensive Consolidation	N	Formula	Region	AA
AQ34	Plan Approval Limited/Comprehensive Admin Amendment	Y	NoFee	Region	AA/PIMS
Restricted Emission Status					
AQ09	Restricted Emissions Status Plan	N	\$1,900	Region	AA
Program/Division: ENVIRONMENTAL RESULTS PROGRAM		Applications: 1		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Dental Mercury					
ERP02	Dental Mercury Amalgam Certification	N	\$200	HQ	eDEP
Program/Division: HAZARDOUS WASTE		Applications: 21		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Recycling					
HW12	Level Iii Recycling Class B(4) Materials (Precious Metals)	N	\$5,845	Region	PIMS
HW21	Level I Recycling/Renewal Class A Materials	Y	\$155	Region	AA
HW22	Level I Recycling/Renewal	N	\$245	Region	PIMS
HW23	Level Ii Recycling	N	\$1,235	Region	PIMS
HW24	Level Ii Recycling Renewal/Modification	N	\$325	Region	PIMS
HW25	Level Iii Recycling	N	\$9,550	Region	PIMS
HW26	Level Iii Recycling Renewal/Modification	N	\$1,065	Region	PIMS
HWRN	On-Site Class A Recycling Notification	Y	NoFee	Region	AA
Transporter Licenses					
HW05	Transporter License HW including Mixed Wastes	N	\$3,450	HQ	AA
HW06	Transporter License Class B(4)	N	\$1,290	HQ	AA
HW14	Transporter License HW Renewal	N	\$2,375	HQ	AA
HW15	Transporter License Class B(4) Renewal	N	\$890	HQ	AA
HW27	Transporter License HW or Class B(4) Modification	Y	\$280	HQ	AA
HW28	Transporter Hw Annual Vehicle Identification Device (Vid)	N	Formula	HQ	PIMS
Treatability Declassification Research					
HW07	Treatability Study	N	\$2,695	HQ	PIMS
HW16	Waste Declassification (Irp)	N	Negotiated	HQ	PIMS
HW20	Research Facility (Irp)	N	Negotiated	HQ	PIMS
Treatment Storage or Disposal Facilities					
HW08	Tsd Operation License Or Closure Plan (Irp)	N	Negotiated	HQ	PIMS
HW09	Tsd Class I Modification	N	\$215	HQ	PIMS
HW10	Tsd Class Ii Modification	N	\$12,525	HQ	PIMS
HW11	Tsd Class Iii Modification (Irp)	N	Negotiated	HQ	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: LAWRENCE/WALL EXPERIMENT STA		Applications: 4		BPE	
		Presumptive Approval	Fee	Reviewing Office	System
Laboratory Certification					
LES01	Microbiology Lab Certification	N	Formula	WES	PIMS
LES02	Chemical Lab Certification	N	Formula	WES	PIMS
LES03	Modification Of Chemical Lab Certification	N	Formula	WES	PIMS
LES04	Modification Of Microbiology Lab Certification	N	Formula	WES	PIMS
Program/Division: SOLID WASTE MGMT		Applications: 52		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Assignment Exempt Operations					
SW46A	Small Transfer Operation For Organic Material	N	\$1,000	Region	PIMS
SW46B	Recycle Compost Convert Recyclable/Organic Material	N	\$8,750	Region	PIMS
SW47A	Renew/Mod Small Transfer Operation For Organic Material	N	\$200	Region	PIMS
SW47B	Renew/Mod Recyc Compost Convert Recyclable/Organic Material	N	\$1,458	Region	PIMS
Beneficial Use Determinations					
SW39	BUD Secondary Material in Commercial Products	N	\$2,375	HQ/Reg	AA
SW40	BUD Secondary Materials in Regulated Systems	N	\$2,375	HQ/Reg	AA
SW41	BUD Secondary Material in Restricted Applications	N	\$4,455	HQ/Reg	AA
SW42	BUD Secondary Material in Unrestricted Application (IRP)	N	Negotiated	HQ/Reg	AA
SW44	Modification of Beneficial Use Determination	N	\$1,065	HQ/Reg	AA/PIMS
Certain Modifications to Any Facility					
SW45	Alternative Modification to any SW Management Facility	Y	\$595	Region	AA
SW49	Permit Transfer Certification	N	\$595	Region	AA
Combustion Facility					
SW15	Auth to Construct New/Expanded Combustion Facility	N	Negotiated	Region	AA
SW16	Auth To Operate/Modify Combustion Facility	N	\$5,290	Region	PIMS
SW16B	Auth To Operate/Modify Combustion Facility With Variance	N	\$5,290	Region	PIMS
Demonstration Projects					
SW32	New Solid Waste Technology Demonstration Project	N	\$2,075	Region	PIMS
SW33	Demonstration Project Report For New Solid Waste Technology	N	\$4,950	Region	PIMS
SW35	New Recycle Compost Convert Technology Demonstration Project	N	\$1,458	Region	PIMS
Existing Landfill Construction Operation Modification					
SW08	Authorization to Construct at an Existing Landfill	N	\$1,780	Region	AA
SW10	Authorization to Operate New Phase of Landfill	N	\$1,940	Region	AA
SW11A	Major Mod Landfill No Mepa No Variance	N	\$3,880	Region	PIMS
SW11B	Major Mod Landfill No Mepa With Variance	N	\$3,880	Region	PIMS
SW11C	Major Mod Landfill With Mepa No Variance	N	\$5,290	Region	PIMS
SW11D	Major Mod Landfill With Mepa With Variance	N	\$5,290	Region	PIMS
SW22	Minor Modification Of Landfill	N	\$1,380	Region	PIMS
SW22B	Minor Modification Of Landfill With Variance	N	\$1,380	Region	PIMS
Facility Site Suitability Report					
SW01	Site Suitability Report	N	\$10,585	Region	PIMS
SW38	Major Mod Of Site Assignment Existing Site Suitability Rpt	N	\$1,920	Region	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: SOLID WASTE MGMT		Applications: 52		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Landfill Assessment and Closure					
SW12	Initial Site Assessment	N	\$1,380	Region	PIMS
SW23	Comprehensive Site Assessment	N	\$5,645	Region	PIMS
SW24	Corrective Action Alternative Analysis Report	N	\$3,565	Region	PIMS
SW25	Corrective Action Design	N	\$4,255	Region	PIMS
SW43A	Landfill Closure Completion	N	\$2,435	Region	PIMS
SW43B	Landfill Closure Completion With Variance	N	\$2,435	Region	PIMS
New Landfill or Expanded Existing Landfill					
SW26	Auth to Construct Large New/Major Expansion Landfill	N	Negotiated	Region	AA
SW27	Auth to Construct Med New/Med Expansion Landfill	N	\$28,555	Region	AA
SW27B	Auth to Construct Med New/Med Expansion Landfill w/ Var	N	\$28,555	Region	AA
SW28	Auth to Construct Small New/Small Expansion Landfill	N	\$14,275	Region	AA
SW28B	Auth to Construct Small New/Small Expansion Landfill w/ Var	N	\$14,275	Region	AA
SW29	Auth to Construct New/Expansion Woodwaste Landfill	N	\$14,275	Region	AA
SW29B	Auth to Construct New/Expansion Woodwaste Landfill w/ Var	N	\$14,275	Region	AA
Post-Closure Use					
SW36	Major Post-Closure Use	N	\$3,425	Region	AA
SW37	Minor Post-Closure Use	Y	\$1,330	Region	AA
Special Waste Determinations					
SW14	Listed Special Waste Acceptance	Y	\$1,940	Region	PIMS
Third Party Inspector Registrations					
SW48	Third Party Inspector Registration	N	\$595	HQ	AA
Transfer Stations and Handling Facilities					
SW05	Auth to Construct C&D Transfer or Large Transfer/Handling	N	\$7,235	Region	AA
SW05B	Auth to Construct C&D Transfer or Large Trans/Handling w/Var	N	\$7,235	Region	AA
SW06	Auth to Operate/Renew C&D Transfer or Large Handling Fac	N	\$1,940	Region	AA
SW07	Modification of C&D Transfer or Large Handling Facility	N	\$3,235	Region	AA
SW19	Authorization to Construct Small Transfer/Handling Facility	N	\$2,075	Region	AA
SW19B	Auth to Construct Small Transfer/Handling Fac w/ Variance	N	\$2,075	Region	AA
SW20	Authorization to Operate/Renew Small Handling Facility	N	\$985	Region	AA
SW21	Modification of Small Handling Facility	N	\$1,380	Region	AA
Program/Division: TOXIC USE REDUCTION		Applications: 4		BAW	
		Presumptive Approval	Fee	Reviewing Office	System
Toxic Use Reduction Planners					
TU01	General Practice TUR Planner	N	\$500	HQ	AA
TU02	Limited Practice TUR Planner	N	\$100	HQ	AA
TU03	Recertification General Practice TUR Planner	N	\$250	HQ	AA
TU04	Recertification Limited Practice TUR Planner	N	\$75	HQ	AA
Program/Division: WASTE SITE CLEANUP		Applications: 4		BWSC	
		Presumptive Approval	Fee	Reviewing Office	System
Environmental Restriction Grants					
BWS40	Grant Of Environmental Restriction	N	\$1,290	HQ	PIMS
BWS41	Environmental Restriction Grant Amendment	N	\$1,040	HQ	PIMS
BWS42	Environmental Restriction Grant Release	N	\$795	HQ	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: WASTE SITE CLEANUP		Applications: 4		BWSC	
		Presumptive Approval	Fee	Reviewing Office	System
Special Project Designation					
BWS50	Special Project Designation	Y	\$920	Region	PIMS
Program/Division: WATER POLLUTION CONTROL		Applications: 48		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Groundwater Discharges Industrial					
WP86	Iw Type Ii Treatment Facility Permit & Plan Approval	N	\$6,190	HQ	PIMS
WP87	Iw Type I Treatment Facility Permit & Plan Approval	N	\$3,185	HQ	PIMS
WP88	Permit Renewal Or Mod With Plan Modification	N	\$1,445	HQ	PIMS
WP89	Permit Renewal Or Mod W/O Plan Modification	N	\$645	HQ	PIMS
WP90	Plan Approval Modification	N	\$940	HQ	PIMS
Groundwater Discharges NonIndustrial					
WP11	Renewal/Modification Of Permit With Plan Approval	N	\$1,830	Region	PIMS
WP12	Renewal/Modification Of Permit Without Plan Approval	N	\$890	Region	PIMS
WP68	Plan Approval New/Modified Facility	N	\$970	Region	PIMS
WP79	Individual Permit Sewage Treatment	N	\$5,000	Region	PIMS
WP80	General Permit/Renewal Specified Discharge	N	\$745	Region	PIMS
WP81	General Permit/Renewal Small Sewage Treatment Works	N	\$755	Region	PIMS
WP82	Individual Permit Administrative Renewal	N	\$265	Region	PIMS
WP83	Hydrogeologic Report	N	\$10,005	Region	PIMS
WP84	Individual Permit Reclaimed Water System	N	\$5,000	Region	PIMS
WP85	Individual Permit Other Discharge	N	\$2,470	Region	PIMS
Residuals Management Facilities - Landfill & Treatment					
WP33	Plans & Specifications Residuals Landfill (Irp)	N	Negotiated	Region	PIMS
WP34	Residuals Landfill Closure	N	\$8,745	Region	PIMS
WP35	Plans & Specifications Residuals Management Facility	N	\$5,350	Region	PIMS
WP44	Modification To Residuals Landfill	N	\$2,180	Region	PIMS
WP45	Modification To Residuals Management Facility	N	\$1,280	Region	PIMS
Residuals Management Land Applications					
WP28	Approval Of Sampling/Analysis Plan For Land Application	N	\$860	Region	PIMS
WP29	Determination Of Suitability For Land Appl Of Residuals	N	\$3,500	Region	PIMS
WP30	Certification Of Major Projects For Land Appl Of Sludge	N	\$2,910	Region	PIMS
WP31	Certification Of Minor Projects For Land Appl Of Sludge	N	\$755	Region	PIMS
WP32	Renewal Or Modification Of Certification Land Appl Of Sludge	N	\$315	Region	PIMS
WP93	Type I Residuals Land Application Renewal	Y	\$1,700	Region	PIMS
Sewer Connections/Extensions					
WP91	Sewer Connection Required By Dep	N	\$3,000	HQ	PIMS
WP92	Sewer Connection Industrial >25K Gpd To Non-Ipp Potw	N	\$1,795	HQ	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: WATER POLLUTION CONTROL		Applications: 48		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Title 5 Septic Systems					
WP57	Approval Of Recirculating Sand Filter Or Equivalent	N	\$525	Region	PIMS
WP58A	Approval Of Nitrogen Aggregation Loading Plan	N	\$1,940	Region	PIMS
WP58B	Approval For Installation Of A Shared System	N	\$1,940	Region	PIMS
WP59	Approval Of Title 5 Variance	N	\$335	Region	PIMS
WP60	Variance From Title 5 For Schools	N	\$1,940	Region	PIMS
WP61	Alternative System For Remedial & General Use	N	\$3,675	HQ	PIMS
WP61A	Alternative System For Remedial Use	N	\$3,675	HQ	PIMS
WP61B	Alternative System For Piloting, Provisional, Or General Use	N	\$3,675	HQ	PIMS
WP62	Additives, Soil Conditioners, Effluent Tees, Grease Traps	N	\$1,140	HQ	PIMS
WP63	Disposal System Construction Permit For State/Federal Facs	N	\$1,140	Region	PIMS
WP64A	Approval Of Tight Tank	Y	\$525	Region	PIMS
WP64B	Approval Of Installation Of Alternative System For Pilot	N	\$525	HQ	PIMS
WP64C	Approval Of Installation Of Alternative System Remedial Use	N	\$525	Region	PIMS
WP66	Upgrade/Expansion/Continued Use Of Large Systems	N	\$1,140	Region	PIMS
WP70	Request For Alternative Design Flow	N	\$700	HQ	PIMS
WP70A	Non-Sanitary Discharge To A Septic System	N	\$700	HQ	PIMS
WP75	Modification Or Renewal Of Alternative Systems	N	\$2,160	HQ	PIMS
Wastewater Holding Tanks					
WP56	Holding Tank Certification	Y	\$140	HQ	PIMS
Wastewater Treatment Operator Certifications					
WP47	Reciprocity Wastewater Treatment Operator Certification	N	\$95	HQ	Paper
WP48	Emergency/Provisional Wastewater Treatment Operator Cert	N	\$35	HQ	Paper
Program/Division: WATER SUPPLY/DRINKING WATER		Applications: 48		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Cross Connection					
WS10	Certification of Cross Connection Testers	N	\$65	HQ	AA
Distribution System Modifications					
WS32	Approval Of Distribution System Mods More Than 3300 People	N	\$1,055	Region	PIMS
WS33	Approval Of Distribution System Mods Less Than 3300 People	N	\$525	Region	PIMS
New Source Approval					
WS13	Approval To Site Source Under 70 Gals/Min	N	\$1,380	Region	PIMS
WS15	Approval Of Pumping Test Report And Approval To Construct	N	\$1,585	Region	PIMS
WS17	Approval To Site Source 70 Gals/Min Or Greater	N	\$4,850	Region	PIMS
WS19	Approval Of Pump Test Report For Source 70 Gal/Min Great	N	\$8,205	Region	PIMS
WS20	Approval To Construct Source 70 Gal/Min Greater	N	\$2,910	Region	PIMS
WS37	Approv Of New Trnsient Non-Comm Source <10K Gpd	N	\$810	Region	PIMS
New Technology Approval					
WS11	Approval Of New Technology	N	\$2,265	HQ	PIMS
WS12	Major New Treatment Technology (Irp)	N	Negotiated	HQ	PIMS
WS27	Approval Of Drinking Water Additives	N	\$290	HQ/Reg	PIMS
WS28	Approval Of One Vending Site/Source Prototype	N	\$1,380	Region	PIMS
WS31	Approval Of Vending Machines W/ Previous 3Rd Party Approval	N	\$290	HQ	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: WATER SUPPLY/DRINKING WATER		Applications: 48		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Public Water System Modifications					
WS26	Sale/Acquisition Of Land	N	\$1,290	Region	PIMS
WS36	Abandonment Of Source	N	\$70	Region	PIMS
Underground Injection Control					
WS06A	Uic Reg Codes 5A24 Except Abandoned, 5B6, 5C4, 5G1, 5K	Y	\$585	HQ	PIMS
WS06B	Uic Reg 4P, 5A19, 5A23, 5B2, 5B3, 5C3, 5C5, 5H2, 5H3, 5X	Y	\$290	HQ	PIMS
WS06C	Uic Reg Codes 5A18, 5A24 Abandoned Only, 5B1, 5C2, 5E, 5H1	Y	\$110	HQ	PIMS
WS06D	Uic Pre-Closure Notification	Y	\$110	Region	PIMS
Vending Machine Source					
WS30A	Install One Type Vending Machine @ 1-9 Locs On Same Sys	N	\$290	Region	PIMS
WS30B	Install One Type Pou/Poe Device @ 1-9 Loc On Same Sys	N	\$290	Region	PIMS
WS35A	Install One Type Vending Mach @ 10+ Locations Same Sys	N	\$1,630	Region	PIMS
WS35B	Install One Type Pou/Poe Device @ 10+ Locations Same Sys	N	\$1,630	Region	PIMS
Water Treatment					
WS21A	Approv To Conduct Pilot Study; <40K Gpd	N	\$320	Region	PIMS
WS21B	Approv To Conduct Pilot Study; 40K - 200K Gpd	N	\$485	Region	PIMS
WS21C	Approv To Conduct Pilot Study; 200K - 1 Mgp	N	\$850	Region	PIMS
WS21D	Approv To Conduct Pilot Study; > 1 Mgp	N	\$1,135	Region	PIMS
WS22A	Approval Of Pilot Study Report; Less 40K Gpd	N	\$915	Region	PIMS
WS22B	Approval Of Pilot Study Report; 40K-200K Gpd	N	\$1,600	Region	PIMS
WS22C	Approval Of Pilot Study Report; 200K-1Mgd	N	\$2,160	Region	PIMS
WS22D	Approval Of Pilot Study Report; >1Mgd	N	\$2,850	Region	PIMS
WS23A	Approval To Construct Facility <40,000 Gpd	N	\$1,125	Region	PIMS
WS23B	Approval To Construct Facility >40,000 But <200,000 Gpd	N	\$1,780	Region	PIMS
WS23C	Approval To Construct Facility 200,000 Gpd But <1 Mgd	N	\$5,005	Region	PIMS
WS24	Construct Treatment Facility => 1 Mgd (Irp)	N	Negotiated	Region	PIMS
WS25A	Modification Of Treatment Facility < 40K Gpd	N	\$550	Region	PIMS
WS25B	Modification Of Treatment Facility 40K To < 200K Gpd	N	\$860	Region	PIMS
WS25C	Modification Of Treatment Facility 200K To < 1 Mil Gpd	N	\$2,210	Region	PIMS
WS25D	Modification Of Treatment Facility 1 Mil Or > Gpd	N	\$3,070	Region	PIMS
WS29	Approval Of Chem Add Retrofit Serving More Than 3300 People	N	\$705	Region	PIMS
WS34	Approval Of Chem Add Retrofit Serving Less Than 3300 People	N	\$350	Region	PIMS
Well Drilling					
WS39	Well Driller Certification	N	\$200	HQ	eDEP
WS40	Well Driller Certification Renewal	N	\$100	HQ	eDEP
WS41	Well Driller Certification with Waiver	N	\$400	HQ	eDEP
WS42	Well Drilling Rig	N	Formula	HQ	eDEP
Zone 2 Determination					
WS07	Zone 2: Approval To Conduct Pumping Test For Delineation	N	\$970	Region	PIMS
WS08	Approval Of Zone 2 Delineation For Existing Drk Water Source	N	\$3,235	Region	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: WATERSHED MANAGEMENT		Applications: 10		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Herbicide Applications					
WM04	License To Apply Herbicides To Waters Of The Commonwealth	N	\$95	WMO	PIMS
Surface Water NPDES General Permits & Plans					
WM09	Stormwater Management Plan	N	\$890	HQ	PIMS
WM15	General Permit Npdes Notice Of Intent	N	\$500	HQ	PIMS
Surface Water NPDES Individual Permits					
WM05	Initial/Renewal Major Npdes Permit	N	\$6,785	HQ	PIMS
WM06	Initial/Renewal Minor Npdes Permit	N	\$3,170	HQ	PIMS
WM07	Modification Of Major/Minor Npdes Permit	N	\$985	HQ	PIMS
WM16	Plan Approval New/Modified Facility	N	\$980	Region	PIMS
Water Withdrawals					
WM01	Transfer Of Water Withdrawal Permit/Registration	N	\$215	Region	PIMS
WM02	Amendment To Water Withdrawal Permit	N	\$1,940	Region	PIMS
WM03	Water Withdrawal Permit	N	\$4,100	Region	PIMS
Program/Division: WETLANDS & WATERWAYS		Applications: 45		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Water Quality Certifications Dredge					
WW07	Major Dredging Projects, 5,000 Cubic Yards Or Greater	N	\$490	HQ	PIMS
WW08	Minor Dredging Projects, < 5,000 Cubic Yards, > 100 Cy	N	\$95	HQ	PIMS
WW09A	Wqcert Increase In Dredge Volume	N	\$90	HQ	PIMS
WW09B	Wqcert Change In Dredge Or Disposal Methods	N	\$190	HQ	PIMS
WW09C	Change In Certification Conditions	N	\$280	HQ	PIMS
Water Quality Certifications Fill/Excavation					
WW10	Major Fill And Excavation Projects	N	\$490	Region	PIMS
WW11	Minor Fill And Excavation Projects	N	\$95	Region	PIMS
Waterways Combined License & Water Quality Certification					
WW26	Ww License & Wqc For Dredge/Fill/Excavation	N	Formula	HQ	PIMS
WW27	Amend Ww License & Wqc For Dredge/Fill/Excavation	N	\$302	HQ	PIMS
Waterways License Applicability & Compliance Certifications					
WW04	Determination Of Applicability	N	\$100	HQ	PIMS
WW05A	Cert Of Compliance - Water Dependent	N	\$100	Region	PIMS
WW05B	Cert Of Compliance - Nonwater Dependent	N	\$215	Region	PIMS
WW05C	Cert Of Compliance - Extended Term	N	\$430	Region	PIMS

Schedule of Permit Application Fees and Timelines

Program/Division: WETLANDS & WATERWAYS		Applications: 45		BWR	
		Presumptive Approval	Fee	Reviewing Office	System
Waterways Non-simplified Licenses					
WW01A	Ww License Residential Water-Dependent 4 Units Or Less	N	\$215	HQ/Reg	PIMS
WW01B	Ww License-Other Water-Dependent Projects	N	\$330	HQ/Reg	PIMS
WW01C	Ww License-Water-Dependent Projects-Extended Terms	N	\$3,350	HQ/Reg	PIMS
WW03A	Ww Lic Amendment-Wd Use 4 Units Or Less	N	\$100	HQ/Reg	PIMS
WW03B	Ww Lic Amendment-Other Wd Use Projects	N	\$125	HQ/Reg	PIMS
WW03C	Ww Lic Amend - Residential Nwd Use 4 Units Or Less	N	\$530	HQ	PIMS
WW03D	Ww Lic Amend - Other Nwd Use Projects	N	\$1,000	HQ	PIMS
WW03E	Amendment For License With Extended Terms (Wd/Nwd)	N	\$1,335	HQ/Reg	PIMS
WW14A	Partial App-Nwd Residential-4 Units Or Less	N	\$665	HQ	PIMS
WW14B	Partial App-Other Nwd Use Projects	N	\$2,005	HQ	PIMS
WW14C	Partial App-Nwd Use Projects With Extended Terms	N	\$3,350	HQ	PIMS
WW15A	Full App-Nwd Residential Use 4 Units Or Less	N	\$665	HQ	PIMS
WW15B	Full App-Other Nwd Use Projects	N	\$2,005	HQ	PIMS
WW15C	Full App-Other Nwd Use Projects With Extended Terms	N	\$3,350	HQ	PIMS
WW16A	Nwd Residential - 4 Units Or Less - In A Muni Harbor Plan	N	\$665	HQ	PIMS
WW16B	Other Nwd Use -In A Muni Harbor Plan	N	\$2,005	HQ	PIMS
WW16C	Nwd Use With Extended Terms In A Muni Harbor Plan	N	\$3,350	HQ	PIMS
WW17A	Joint Mepa App- Nwd Residential Use-4 Units Or Less	N	\$665	HQ	PIMS
WW17B	Joint Mepa App- Other Nwd Use Project	N	\$2,005	HQ	PIMS
WW17C	Joint Mepa App-Other Nwd Use Proj-Extended Terms	N	\$3,350	HQ	PIMS
Waterways Pilot Technologies					
WW25	Ww License Water-Dependent Pilot Technology	N	\$440	HQ	PIMS
Waterways Simplified Licenses					
WW06	Ww License Small Structure Accessory To Residence	N	\$75	HQ/Reg	PIMS
WW12	Renewal Ww License Small Structure Accessory To Residence	N	\$35	HQ/Reg	PIMS
WW24	Ww General Lic For Small Structure Accessory To Residence	N	\$75	HQ	PIMS
Wetlands					
WW13	Wetlands Renovation Of Abandoned Cranberry Bogs	N	\$785	Region	PIMS
WW18	Wetlands Notice of Intent & Abbreviated NOI	N	Formula	Region	WIRe
WW19	Wetlands Superseding Determination of Applicability	N	\$120	Region	WIRe
WW20A	Wetlands Superseding Order of Conditions Single Family Home	N	\$120	Region	WIRe
WW20B	Wetlands Superseding Order of Conditions All Other	N	\$245	Region	WIRe
WW21	Wetlands Superseding Order of Resource Area Delineation	N	\$120	Region	WIRe
WW22	Wetlands Variance	N	\$9,830	Region	WIRe
WW23	Wetlands Variance with Claim of Taking	N	\$245	Region	WIRe

Schedule of Permit Application Fees and Timelines

Total Applications: 261

II. Details

Program/Division: **AIR QUALITY CONTROL**

BAW

Asbestos and Construction Notifications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ04	Asbestos Removal Notification (ANF-001)	N	\$100	HQ	eDEP
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	10
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	10
AQ05	Asbestos Removal Blanket Notification	N	\$200	Region	eDEP
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	20
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	20
AQ06	Construction/Demolition Notification	N	\$100	HQ	eDEP
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	10
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	10
AQ35	Revised Asbestos Removal Notification	N	\$35	HQ	eDEP
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	10
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	10
AQ36	Non-Traditional Asbestos Removal Abatement Practices	N	\$600	Region	Paper
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	10
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	10
Emission Caps		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ5025	25% or 50% of OP Emission Cap Notification	N	NoFee	Region	AA
<i>Timeline Basis:</i> No Timeline		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

Emission Control Plans		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ08A	Emission Control Plan NOx/VOC State Only Review	N	\$1,880	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		45
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		63
	TRD Technical Review Deficiency		Conditional		45
	TR2 Technical Review 2		Conditional		63
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		30
AQ08B	Emission Control Plan NOx/VOC State & EPA Review	N	\$22,310	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		128
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		128
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		72
AQ22	Emission Control Plan - Municipal Waste Combustor	N	\$8,820	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		60
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		72
	TRD Technical Review Deficiency		Conditional		60
	TR2 Technical Review 2		Conditional		72
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		24
AQ25	Emission Control Plan - Coal Power Plant	N	NoFee	Region	PIMS
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW		Required		72
	ARD ADMIN REVIEW DEFICIENCY		Conditional		180
	AR2 ADMIN REVIEW 2		Conditional		72
	TR TECHNICAL REVIEW		Required		144
	TRD TECH REVIEW DEFICIENCY		Conditional		180
	TR2 TECH REVIEW 2		Conditional		144

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

Emission Control Plans		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ30	Emission Control Plan - Carbon Dioxide Budget	N	NoFee	HQ	AA
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	10
		ARD	Administrative Review Deficiency	Conditional	10
		AR2	Administrative Review 2	Conditional	10
		TR	Technical Review	Required	110
		TRD	Technical Review Deficiency	Conditional	110
		TR2	Technical Review 2	Conditional	110
		PCP	Public Comment Process	Required	21
		PCR	Public Comment Review	Required	30
Emission Reduction Credits		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ18	Emission Reduction Banking & Trading Credit Certification	N	Formula	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	48
		ARD	Administrative Review Deficiency	Conditional	60
		AR2	Administrative Review 2	Conditional	48
		TR	Technical Review	Required	48
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	48
		PCP	Public Comment Process	Required	20
		PCR	Public Comment Review	Required	36
Modeling		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQMM	Modeling Protocol	N	NoFee	HQ	AA
<i>Timeline Basis: No Timeline</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
Operating Permits		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ10	Operating Permit Minor Modification	N	NoFee	Region	AA/PIMS
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	Technical Review	Required	90
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	90
AQ11	Operating Permit Administrative Amendment	N	NoFee	Region	AA/PIMS
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	Technical Review	Required	15
		TRD	Technical Review Deficiency	Conditional	15
		TR2	Technical Review 2	Conditional	15

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

Operating Permits		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ12	Operating Permit Renewal	N	NoFee	Region	AA
<i>Timeline Basis:</i> Program Reg-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		60
	ARD	Administrative Review Deficiency	Conditional		30
	AR2	Administrative Review 2	Conditional		30
	TR	Technical Review	Required		170
	TRD	Technical Review Deficiency	Conditional		60
	TR2	Technical Review 2	Conditional		90
	PCP	Public Comment Process	Required		60
	PCR	Public Comment Review	Required		45
AQ13	Operating Permit Significant Modification	N	NoFee	Region	AA/PIMS
<i>Timeline Basis:</i> Program Reg-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		60
	ARD	Administrative Review Deficiency	Conditional		30
	AR2	Administrative Review 2	Conditional		30
	TR	Technical Review	Required		170
	TRD	Technical Review Deficiency	Conditional		60
	TR2	Technical Review 2	Conditional		90
	PCP	Public Comment Process	Required		60
	PCR	Public Comment Review	Required		45
AQ14	Operating Permit Initial	N	Formula	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		60
	ARD	Administrative Review Deficiency	Conditional		30
	AR2	Administrative Review 2	Conditional		60
	TR	Technical Review	Required		180
	TRD	Technical Review Deficiency	Conditional		30
	TR2	Technical Review 2	Conditional		180
	PCP	Public Comment Process	Required		60
	PCR	Public Comment Review	Required		90
Plan Approval Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ01	Plan Approval Limited Fuel/Process	N	\$645	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		48
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		48

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

Plan Approval Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ02	Plan Approval Non-Major Comprehensive	N	\$2,370	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	14
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	67
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	72
		PCP	Public Comment Process	Required	20
		PCR	Public Comment Review	Required	15
AQ03	Plan Approval Major Comprehensive	N	\$24,305	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	128
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	128
		PCP	Public Comment Process	Required	20
		PCR	Public Comment Review	Required	72
AQ33	Plan Approval Limited/Comprehensive Consolidation	N	Formula	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	30
		TR	Technical Review	Required	90
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	60
AQ34	Plan Approval Limited/Comprehensive Admin Amendment	Y	NoFee	Region	AA/PIMS
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	Technical Review	Required	30
		TRD	Technical Review Deficiency	Conditional	30
		TR2	Technical Review 2	Conditional	30

Schedule of Permit Application Fees and Timelines

Program/Division: **AIR QUALITY CONTROL**

BAW

Restricted Emission Status		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
AQ09	Restricted Emissions Status Plan	N	\$1,900	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required	24	
	ARD	Administrative Review Deficiency	Conditional	60	
	AR2	Administrative Review 2	Conditional	24	
	TR	Technical Review	Required	72	
	TRD	Technical Review Deficiency	Conditional	60	
	TR2	Technical Review 2	Conditional	48	
	PCP	Public Comment Process	Required	30	
	PCR	Public Comment Review	Required	10	

Program/Division: **ENVIRONMENTAL RESULTS PROGRAM**

BAW

Dental Mercury		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
ERP02	Dental Mercury Amalgam Certification	N	\$200	HQ	eDEP
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	TR	TECHNICAL REVIEW	Required	48	
	TRD	TECH REVIEW DEFICIENCY	Conditional	90	
	TR2	TECH REVIEW 2	Conditional	48	

Program/Division: **HAZARDOUS WASTE**

BAW

Recycling		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW12	Level Iii Recycling Class B(4) Materials (Precious Metals)	N	\$5,845	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	ADMIN REVIEW	Required	24	
	ARD	ADMIN REVIEW DEFICIENCY	Conditional	180	
	AR2	ADMIN REVIEW 2	Conditional	24	
	TR	TECHNICAL REVIEW	Required	96	
	TRD	TECH REVIEW DEFICIENCY	Conditional	180	
	TR2	TECH REVIEW 2	Conditional	96	
HW21	Level I Recycling/Renewal Class A Materials	Y	\$155	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required	5	
	TR	Technical Review	Required	16	
	TRD	Technical Review Deficiency	Conditional	21	
	TR2	Technical Review 2	Conditional	21	
HW22	Level I Recycling/Renewal	N	\$245	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	TR	TECHNICAL REVIEW	Required	24	
	TRD	TECH REVIEW DEFICIENCY	Conditional	60	
	TR2	TECH REVIEW 2	Conditional	24	

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

Recycling		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW23	Level Ii Recycling	N	\$1,235	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW		Required		36
	ARD ADMIN REVIEW DEFICIENCY		Conditional		60
	AR2 ADMIN REVIEW 2		Conditional		36
	TR TECHNICAL REVIEW		Required		36
	TRD TECH REVIEW DEFICIENCY		Conditional		60
	TR2 TECH REVIEW 2		Conditional		36
HW24	Level Ii Recycling Renewal/Modification	N	\$325	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW		Required		24
	ARD ADMIN REVIEW DEFICIENCY		Conditional		180
	AR2 ADMIN REVIEW 2		Conditional		24
	TR TECHNICAL REVIEW		Required		48
	TRD TECH REVIEW DEFICIENCY		Conditional		180
	TR2 TECH REVIEW 2		Conditional		48
HW25	Level Iii Recycling	N	\$9,550	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW		Required		24
	ARD ADMIN REVIEW DEFICIENCY		Conditional		180
	AR2 ADMIN REVIEW 2		Conditional		24
	TR TECHNICAL REVIEW		Required		96
	TRD TECH REVIEW DEFICIENCY		Conditional		180
	TR2 TECH REVIEW 2		Conditional		96
	PN PUBLIC NOTICE		Required		20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1		Required		24
HW26	Level Iii Recycling Renewal/Modification	N	\$1,065	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW		Required		24
	ARD ADMIN REVIEW DEFICIENCY		Conditional		180
	AR2 ADMIN REVIEW 2		Conditional		24
	TR TECHNICAL REVIEW		Required		48
	TRD TECH REVIEW DEFICIENCY		Conditional		180
	TR2 TECH REVIEW 2		Conditional		48
HWRN	On-Site Class A Recycling Notification	Y	NoFee	Region	AA
<i>Timeline Basis:</i> No Timeline		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

Transporter Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW05	Transporter License HW including Mixed Wastes	N	\$3,450	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		TR	Technical Review	Required	60
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	60
HW06	Transporter License Class B(4)	N	\$1,290	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	5
		TR	Technical Review	Required	43
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	48
HW14	Transporter License HW Renewal	N	\$2,375	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		TR	Technical Review	Required	60
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	60
HW15	Transporter License Class B(4) Renewal	N	\$890	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	5
		TR	Technical Review	Required	43
		TRD	Technical Review Deficiency	Conditional	60
		TR2	Technical Review 2	Conditional	48
HW27	Transporter License HW or Class B(4) Modification	Y	\$280	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	5
		TR	Technical Review	Required	19
		TRD	Technical Review Deficiency	Conditional	30
		TR2	Technical Review 2	Conditional	24
HW28	Transporter Hw Annual Vehicle Identification Device (Vid)	N	Formula	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

Treatability Declassification Research		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW07	Treatability Study	N	\$2,695	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	36

HW16	Waste Declassification (Irp)	N	Negotiated	HQ	PIMS
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	90
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	90

HW20	Research Facility (Irp)	N	Negotiated	HQ	PIMS
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	90
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	90

Treatment Storage or Disposal Facilities		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW08	Tsd Operation License Or Closure Plan (Irp)	N	Negotiated	HQ	PIMS
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	60

Schedule of Permit Application Fees and Timelines

Program/Division: **HAZARDOUS WASTE**

BAW

Treatment Storage or Disposal Facilities		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
HW09	Tsd Class I Modification	N	\$215	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	60
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	48
	TRD TECH REVIEW DEFICIENCY			Conditional	60
	TR2 TECH REVIEW 2			Conditional	24
HW10	Tsd Class Ii Modification	N	\$12,525	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	TR TECHNICAL REVIEW			Required	96
	TRD TECH REVIEW DEFICIENCY			Conditional	60
	TR2 TECH REVIEW 2			Conditional	36
HW11	Tsd Class Iii Modification (Irp)	N	Negotiated	HQ	PIMS
<i>Timeline Basis: Negotiated</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	30
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	30
	TR TECHNICAL REVIEW			Required	90
	TRD TECH REVIEW DEFICIENCY			Conditional	90
	TR2 TECH REVIEW 2			Conditional	90
	PN PUBLIC NOTICE			Required	20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	90

Program/Division: **LAWRENCE/WALL EXPERIMENT STA**

BPE

Laboratory Certification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
LES01	Microbiology Lab Certification	N	Formula	WES	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	36
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	36
	TR TECHNICAL REVIEW			Required	48
	TRD TECH REVIEW DEFICIENCY			Conditional	60
	TR2 TECH REVIEW 2			Conditional	48
	IN1 INSPECTION REVIEW 1			Required	80
	IND INSPECTION REVIEW DEFICIENCY			Conditional	90
	IN2 INSPECTION REVIEW 2			Conditional	80

Schedule of Permit Application Fees and Timelines

Program/Division: **LAWRENCE/WALL EXPERIMENT STA**

BPE

Laboratory Certification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
LES02	Chemical Lab Certification	N	Formula	WES	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	ADMIN REVIEW	Required		36
	ARD	ADMIN REVIEW DEFICIENCY	Conditional		180
	AR2	ADMIN REVIEW 2	Conditional		36
	TR	TECHNICAL REVIEW	Required		48
	TRD	TECH REVIEW DEFICIENCY	Conditional		60
	TR2	TECH REVIEW 2	Conditional		48
	IN1	INSPECTION REVIEW 1	Required		80
	IND	INSPECTION REVIEW DEFICIENCY	Conditional		90
	IN2	INSPECTION REVIEW 2	Conditional		80
LES03	Modification Of Chemical Lab Certification	N	Formula	WES	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	ADMIN REVIEW	Required		36
	ARD	ADMIN REVIEW DEFICIENCY	Conditional		180
	AR2	ADMIN REVIEW 2	Conditional		36
	TR	TECHNICAL REVIEW	Required		48
	TRD	TECH REVIEW DEFICIENCY	Conditional		60
	TR2	TECH REVIEW 2	Conditional		48
	IN1	INSPECTION REVIEW 1	Required		80
	IND	INSPECTION REVIEW DEFICIENCY	Conditional		90
	IN2	INSPECTION REVIEW 2	Conditional		80
LES04	Modification Of Microbiology Lab Certification	N	Formula	WES	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	ADMIN REVIEW	Required		36
	ARD	ADMIN REVIEW DEFICIENCY	Conditional		180
	AR2	ADMIN REVIEW 2	Conditional		36
	TR	TECHNICAL REVIEW	Required		48
	TRD	TECH REVIEW DEFICIENCY	Conditional		60
	TR2	TECH REVIEW 2	Conditional		48
	IN1	INSPECTION REVIEW 1	Required		80
	IND	INSPECTION REVIEW DEFICIENCY	Conditional		90
	IN2	INSPECTION REVIEW 2	Conditional		80

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Assignment Exempt Operations		Presumptive Approval	Fee	Reviewing Office	System
SW46A	Small Transfer Operation For Organic Material	N	\$1,000	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>	
	AR ADMIN REVIEW		Required	24	
	ARD ADMIN REVIEW DEFICIENCY		Conditional	180	
	AR2 ADMIN REVIEW 2		Conditional	24	
	TR TECHNICAL REVIEW		Required	48	
	TRD TECH REVIEW DEFICIENCY		Conditional	180	
	TR2 TECH REVIEW 2		Conditional	48	
	PN PUBLIC NOTICE		Required	30	
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1		Required	60	
SW46B	Recycle Compost Convert Recyclable/Organic Material	N	\$8,750	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>	
	AR ADMIN REVIEW		Required	24	
	ARD ADMIN REVIEW DEFICIENCY		Conditional	180	
	AR2 ADMIN REVIEW 2		Conditional	24	
	TR TECHNICAL REVIEW		Required	48	
	TRD TECH REVIEW DEFICIENCY		Conditional	180	
	TR2 TECH REVIEW 2		Conditional	48	
	PN PUBLIC NOTICE		Required	30	
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1		Required	60	
SW47A	Renew/Mod Small Transfer Operation For Organic Material	N	\$200	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>	
	AR ADMIN REVIEW		Required	24	
	ARD ADMIN REVIEW DEFICIENCY		Conditional	180	
	AR2 ADMIN REVIEW 2		Conditional	24	
	TR TECHNICAL REVIEW		Required	24	
	TRD TECH REVIEW DEFICIENCY		Conditional	180	
	TR2 TECH REVIEW 2		Conditional	24	
	PN PUBLIC NOTICE		Required	30	
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1		Required	60	
SW47B	Renew/Mod Recyc Compost Convert Recyclable/Organic Material	N	\$1,458	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>	
	AR ADMIN REVIEW		Required	24	
	ARD ADMIN REVIEW DEFICIENCY		Conditional	60	
	AR2 ADMIN REVIEW 2		Conditional	24	
	TR TECHNICAL REVIEW		Required	24	
	TRD TECH REVIEW DEFICIENCY		Conditional	60	
	TR2 TECH REVIEW 2		Conditional	24	
	PN PUBLIC NOTICE		Required	30	
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1		Required	60	

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Beneficial Use Determinations		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW39	BUD Secondary Material in Commercial Products	N	\$2,375	HQ/Reg	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	90
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	24
		TRD	Technical Review Deficiency	Conditional	90
		TR2	Technical Review 2	Conditional	24
SW40	BUD Secondary Materials in Regulated Systems	N	\$2,375	HQ/Reg	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	90
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	24
		TRD	Technical Review Deficiency	Conditional	90
		TR2	Technical Review 2	Conditional	24
SW41	BUD Secondary Material in Restricted Applications	N	\$4,455	HQ/Reg	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	90
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	48
		TRD	Technical Review Deficiency	Conditional	90
		TR2	Technical Review 2	Conditional	48
SW42	BUD Secondary Material in Unrestricted Application (IRP)	N	Negotiated	HQ/Reg	AA
<i>Timeline Basis: Negotiated</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	48
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	48
		PCP	Public Comment Process	Required	20
		PCR	Public Comment Review	Required	72
SW44	Modification of Beneficial Use Determination	N	\$1,065	HQ/Reg	AA/PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	90
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	24
		TRD	Technical Review Deficiency	Conditional	90
		TR2	Technical Review 2	Conditional	24

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Certain Modifications to Any Facility		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW45	Alternative Modification to any SW Management Facility	Y	\$595	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review			Required	5
	TR Technical Review			Required	40
	TRD Technical Review Deficiency			Conditional	45
	TR2 Technical Review 2			Conditional	45
SW49	Permit Transfer Certification	N	\$595	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review			Required	5
	TR Technical Review			Required	40
	TRD Technical Review Deficiency			Conditional	45
	TR2 Technical Review 2			Conditional	45
Combustion Facility		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW15	Auth to Construct New/Expanded Combustion Facility	N	Negotiated	Region	AA
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review			Required	30
	ARD Administrative Review Deficiency			Conditional	180
	AR2 Administrative Review 2			Conditional	30
	TR Technical Review			Required	60
	TRD Technical Review Deficiency			Conditional	180
	TR2 Technical Review 2			Conditional	60
	PCP Public Comment Process			Required	30
	PCR Public Comment Review			Required	60
SW16	Auth To Operate/Modify Combustion Facility	N	\$5,290	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	72
	TRD TECH REVIEW DEFICIENCY			Conditional	180
	TR2 TECH REVIEW 2			Conditional	72
SW16B	Auth To Operate/Modify Combustion Facility With Variance	N	\$5,290	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	102
	TRD TECH REVIEW DEFICIENCY			Conditional	180
	TR2 TECH REVIEW 2			Conditional	102

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Demonstration Projects		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW32	New Solid Waste Technology Demonstration Project	N	\$2,075	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
SW33	Demonstration Project Report For New Solid Waste Technology	N	\$4,950	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
SW35	New Recycle Compost Convert Technology Demonstration Project	N	\$1,458	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	24
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	24
Existing Landfill Construction Operation Modification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW08	Authorization to Construct at an Existing Landfill	N	\$1,780	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	36
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	36
		PCP	Public Comment Process	Required	20
		PCR	Public Comment Review	Required	72

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Existing Landfill Construction Operation Modification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW10	Authorization to Operate New Phase of Landfill	N	\$1,940	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	24
		ARD	Administrative Review Deficiency	Conditional	90
		AR2	Administrative Review 2	Conditional	24
		TR	Technical Review	Required	36
		TRD	Technical Review Deficiency	Conditional	90
		TR2	Technical Review 2	Conditional	36
SW11A	Major Mod Landfill No Mepa No Variance	N	\$3,880	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
SW11B	Major Mod Landfill No Mepa With Variance	N	\$3,880	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	102
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	102
SW11C	Major Mod Landfill With Mepa No Variance	N	\$5,290	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
SW11D	Major Mod Landfill With Mepa With Variance	N	\$5,290	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	102
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	102

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Existing Landfill Construction Operation Modification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW22	Minor Modification Of Landfill	N	\$1,380	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	20
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	20
SW22B	Minor Modification Of Landfill With Variance	N	\$1,380	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	50
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	50
Facility Site Suitability Report		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW01	Site Suitability Report	N	\$10,585	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	21
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	21
		PNA	Public Notice of Application	Required	5
		FNL	FINAL REVIEW PERIOD	Required	60
SW38	Major Mod Of Site Assignment Existing Site Suitability Rpt	N	\$1,920	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	21
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	21
		PNA	Public Notice of Application	Required	5
		FNL	FINAL REVIEW PERIOD	Required	60
Landfill Assessment and Closure		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW12	Initial Site Assessment	N	\$1,380	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	36

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Landfill Assessment and Closure		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW23	Comprehensive Site Assessment	N	\$5,645	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	60
SW24	Corrective Action Alternative Analysis Report	N	\$3,565	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
SW25	Corrective Action Design	N	\$4,255	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
SW43A	Landfill Closure Completion	N	\$2,435	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
SW43B	Landfill Closure Completion With Variance	N	\$2,435	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	102
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	102

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

New Landfill or Expanded Existing Landfill		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW26	Auth to Construct Large New/Major Expansion Landfill	N	Negotiated	Region	AA
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		30
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		30
	TR	Technical Review	Required		60
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		60
	PCP	Public Comment Process	Required		30
	PCR	Public Comment Review	Required		60
SW27	Auth to Construct Med New/Med Expansion Landfill	N	\$28,555	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		92
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		92
	PCP	Public Comment Process	Required		20
	PCR	Public Comment Review	Required		72
SW27B	Auth to Construct Med New/Med Expansion Landfill w/ Var	N	\$28,555	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		180
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		110
	PCP	Public Comment Process	Required		20
	PCR	Public Comment Review	Required		102
SW28	Auth to Construct Small New/Small Expansion Landfill	N	\$14,275	Region	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		72
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		72
	PCP	Public Comment Process	Required		20
	PCR	Public Comment Review	Required		72

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

New Landfill or Expanded Existing Landfill		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW28B	Auth to Construct Small New/Small Expansion Landfill w/ Var	N	\$14,275	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		102
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		102
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		102
SW29	Auth to Construct New/Expansion Woodwaste Landfill	N	\$14,275	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		72
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		72
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		72
SW29B	Auth to Construct New/Expansion Woodwaste Landfill w/ Var	N	\$14,275	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		102
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		102
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		102
Post-Closure Use		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW36	Major Post-Closure Use	N	\$3,425	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		90
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		72
	TRD Technical Review Deficiency		Conditional		90
	TR2 Technical Review 2		Conditional		72

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Post-Closure Use		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW37	Minor Post-Closure Use	Y	\$1,330	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		5
	TR	Technical Review	Required		40
	TRD	Technical Review Deficiency	Conditional		45
	TR2	Technical Review 2	Conditional		45
Special Waste Determinations		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW14	Listed Special Waste Acceptance	Y	\$1,940	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	TR	TECHNICAL REVIEW	Required		45
	TRD	TECH REVIEW DEFICIENCY	Conditional		45
	TR2	TECH REVIEW 2	Conditional		45
Third Party Inspector Registrations		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW48	Third Party Inspector Registration	N	\$595	HQ	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		90
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		24
	TRD	Technical Review Deficiency	Conditional		90
	TR2	Technical Review 2	Conditional		24
Transfer Stations and Handling Facilities		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW05	Auth to Construct C&D Transfer or Large Transfer/Handling	N	\$7,235	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR	Administrative Review	Required		24
	ARD	Administrative Review Deficiency	Conditional		180
	AR2	Administrative Review 2	Conditional		24
	TR	Technical Review	Required		60
	TRD	Technical Review Deficiency	Conditional		180
	TR2	Technical Review 2	Conditional		60
	PCP	Public Comment Process	Required		20
	PCR	Public Comment Review	Required		60

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Transfer Stations and Handling Facilities		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW05B	Auth to Construct C&D Transfer or Large Trans/Handling w/Var	N	\$7,235	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		36
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		36
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		90
SW06	Auth to Operate/Renew C&D Transfer or Large Handling Fac	N	\$1,940	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		90
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		36
	TRD Technical Review Deficiency		Conditional		90
	TR2 Technical Review 2		Conditional		36
SW07	Modification of C&D Transfer or Large Handling Facility	N	\$3,235	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		72
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		72
SW19	Authorization to Construct Small Transfer/Handling Facility	N	\$2,075	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		48
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		48
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		20

Schedule of Permit Application Fees and Timelines

Program/Division: **SOLID WASTE MGMT**

BAW

Transfer Stations and Handling Facilities		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
SW19B	Auth to Construct Small Transfer/Handling Fac w/ Variance	N	\$2,075	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		78
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		78
	PCP Public Comment Process		Required		20
	PCR Public Comment Review		Required		54
SW20	Authorization to Operate/Renew Small Handling Facility	N	\$985	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		90
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		20
	TRD Technical Review Deficiency		Conditional		90
	TR2 Technical Review 2		Conditional		20
SW21	Modification of Small Handling Facility	N	\$1,380	Region	AA
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		24
	ARD Administrative Review Deficiency		Conditional		90
	AR2 Administrative Review 2		Conditional		24
	TR Technical Review		Required		20
	TRD Technical Review Deficiency		Conditional		90
	TR2 Technical Review 2		Conditional		20

Program/Division: **TOXIC USE REDUCTION**

BAW

Toxic Use Reduction Planners		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
TU01	General Practice TUR Planner	N	\$500	HQ	AA
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR Administrative Review		Required		30
	ARD Administrative Review Deficiency		Conditional		180
	AR2 Administrative Review 2		Conditional		30
	TR Technical Review		Required		180
	TRD Technical Review Deficiency		Conditional		180
	TR2 Technical Review 2		Conditional		180

Schedule of Permit Application Fees and Timelines

Program/Division: **TOXIC USE REDUCTION**

BAW

Toxic Use Reduction Planners		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
TU02	Limited Practice TUR Planner	N	\$100	HQ	AA
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	30
		TR	Technical Review	Required	180
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	180
TU03	Recertification General Practice TUR Planner	N	\$250	HQ	AA
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	30
		TR	Technical Review	Required	180
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	180
TU04	Recertification Limited Practice TUR Planner	N	\$75	HQ	AA
<i>Timeline Basis: Program Reg-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	Administrative Review	Required	30
		ARD	Administrative Review Deficiency	Conditional	180
		AR2	Administrative Review 2	Conditional	30
		TR	Technical Review	Required	180
		TRD	Technical Review Deficiency	Conditional	180
		TR2	Technical Review 2	Conditional	180

Program/Division: **WASTE SITE CLEANUP**

BWSC

Environmental Restriction Grants		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
BWS40	Grant Of Environmental Restriction	N	\$1,290	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	30
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	36

Schedule of Permit Application Fees and Timelines

Program/Division: **WASTE SITE CLEANUP**

BWSC

Environmental Restriction Grants		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
BWS41	Environmental Restriction Grant Amendment	N	\$1,040	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	30
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	36
BWS42	Environmental Restriction Grant Release	N	\$795	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	30
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	36

Special Project Designation		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
BWS50	Special Project Designation	Y	\$920	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	36

Program/Division: **WATER POLLUTION CONTROL**

BWR

Groundwater Discharges Industrial		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP86	Iw Type Ii Treatment Facility Permit & Plan Approval	N	\$6,190	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	120
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	120
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	72

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Groundwater Discharges Industrial		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP87	Iw Type I Treatment Facility Permit & Plan Approval	N	\$3,185	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	96
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	96
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	72
WP88	Permit Renewal Or Mod With Plan Modification	N	\$1,445	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	88
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	88
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	72
WP89	Permit Renewal Or Mod W/O Plan Modification	N	\$645	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	72
WP90	Plan Approval Modification	N	\$940	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Groundwater Discharges NonIndustrial		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP11	Renewal/Modification Of Permit With Plan Approval	N	\$1,830	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	90
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	36
	TRD TECH REVIEW DEFICIENCY			Conditional	90
	TR2 TECH REVIEW 2			Conditional	30
	PN PUBLIC NOTICE			Required	30
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	60
WP12	Renewal/Modification Of Permit Without Plan Approval	N	\$890	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	90
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	36
	TRD TECH REVIEW DEFICIENCY			Conditional	90
	TR2 TECH REVIEW 2			Conditional	30
	PN PUBLIC NOTICE			Required	30
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	60
WP68	Plan Approval New/Modified Facility	N	\$970	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	90
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	72
	TRD TECH REVIEW DEFICIENCY			Conditional	90
	TR2 TECH REVIEW 2			Conditional	72
WP79	Individual Permit Sewage Treatment	N	\$5,000	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	90
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	36
	TRD TECH REVIEW DEFICIENCY			Conditional	90
	TR2 TECH REVIEW 2			Conditional	30
	PN PUBLIC NOTICE			Required	30
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Groundwater Discharges NonIndustrial		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP80	General Permit/Renewal Specified Discharge	N	\$745	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	10
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	20
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	21
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	15
WP81	General Permit/Renewal Small Sewage Treatment Works	N	\$755	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	10
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	20
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	21
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	15
WP82	Individual Permit Administrative Renewal	N	\$265	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	15
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	30
		AR2	ADMIN REVIEW 2	Conditional	45
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	15
WP83	Hydrogeologic Report	N	\$10,005	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	15
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	45
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	30

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Groundwater Discharges NonIndustrial		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP84	Individual Permit Reclaimed Water System	N	\$5,000	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	60
WP85	Individual Permit Other Discharge	N	\$2,470	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	60
Residuals Management Facilities - Landfill & Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP33	Plans & Specifications Residuals Landfill (Irp)	N	Negotiated	Region	PIMS
<i>Timeline Basis: Negotiated</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	60
WP34	Residuals Landfill Closure	N	\$8,745	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Residuals Management Facilities - Landfill & Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP35	Plans & Specifications Residuals Management Facility	N	\$5,350	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	120
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	120
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	72
WP44	Modification To Residuals Landfill	N	\$2,180	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WP45	Modification To Residuals Management Facility	N	\$1,280	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
Residuals Management Land Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP28	Approval Of Sampling/Analysis Plan For Land Application	N	\$860	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Residuals Management Land Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP29	Determination Of Suitability For Land Appl Of Residuals	N	\$3,500	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	48
	TRD TECH REVIEW DEFICIENCY			Conditional	180
	TR2 TECH REVIEW 2			Conditional	48
	PN PUBLIC NOTICE			Required	20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	72
WP30	Certification Of Major Projects For Land Appl Of Sludge	N	\$2,910	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	72
	TRD TECH REVIEW DEFICIENCY			Conditional	180
	TR2 TECH REVIEW 2			Conditional	72
	PN PUBLIC NOTICE			Required	20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	72
WP31	Certification Of Minor Projects For Land Appl Of Sludge	N	\$755	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	180
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	72
	TRD TECH REVIEW DEFICIENCY			Conditional	180
	TR2 TECH REVIEW 2			Conditional	72
	PN PUBLIC NOTICE			Required	20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	72
WP32	Renewal Or Modification Of Certification Land Appl Of Sludge	N	\$315	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
	AR ADMIN REVIEW			Required	24
	ARD ADMIN REVIEW DEFICIENCY			Conditional	60
	AR2 ADMIN REVIEW 2			Conditional	24
	TR TECHNICAL REVIEW			Required	48
	TRD TECH REVIEW DEFICIENCY			Conditional	60
	TR2 TECH REVIEW 2			Conditional	48
	PN PUBLIC NOTICE			Required	20
	PC1 DEP REVIEW OF PUBLIC COMMENTS 1			Required	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Residuals Management Land Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP93	Type I Residuals Land Application Renewal	Y	\$1,700	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
Sewer Connections/Extensions		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP91	Sewer Connection Required By Dep	N	\$3,000	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	20
WP92	Sewer Connection Industrial >25K Gpd To Non-Ipp Potw	N	\$1,795	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	20
Title 5 Septic Systems		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP57	Approval Of Recirculating Sand Filter Or Equivalent	N	\$525	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	45
WP58A	Approval Of Nitrogen Aggregation Loading Plan	N	\$1,940	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Title 5 Septic Systems		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP58B	Approval For Installation Of A Shared System	N	\$1,940	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30
WP59	Approval Of Title 5 Variance	N	\$335	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30
WP60	Variance From Title 5 For Schools	N	\$1,940	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	30
WP61	Alternative System For Remedial & General Use	N	\$3,675	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WP61A	Alternative System For Remedial Use	N	\$3,675	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Title 5 Septic Systems		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP61B	Alternative System For Piloting, Provisional, Or General Use	N	\$3,675	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WP62	Additives, Soil Conditioners, Effluent Tees, Grease Traps	N	\$1,140	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72
WP63	Disposal System Construction Permit For State/Federal Facs	N	\$1,140	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48
WP64A	Approval Of Tight Tank	Y	\$525	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	30
WP64B	Approval Of Installation Of Alternative System For Pilot	N	\$525	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Title 5 Septic Systems		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP64C	Approval Of Installation Of Alternative System Remedial Use	N	\$525	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WP66	Upgrade/Expansion/Continued Use Of Large Systems	N	\$1,140	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48
WP70	Request For Alternative Design Flow	N	\$700	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	24
WP70A	Non-Sanitary Discharge To A Septic System	N	\$700	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	24
WP75	Modification Or Renewal Of Alternative Systems	N	\$2,160	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
Wastewater Holding Tanks		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP56	Holding Tank Certification	Y	\$140	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER POLLUTION CONTROL**

BWR

Wastewater Treatment Operator Certifications			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WP47	Reciprocity Wastewater Treatment Operator Certification	N		\$95	HQ	Paper
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMINISTRATIVE REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	30	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	24	
	TRD	TECH REVIEW DEFICIENCY		Conditional	30	
	TR2	TECH REVIEW 2		Conditional	24	
WP48	Emergency/Provisional Wastewater Treatment Operator Cert	N		\$35	HQ	Paper
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMINISTRATIVE REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	30	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	24	
	TRD	TECH REVIEW DEFICIENCY		Conditional	30	
	TR2	TECH REVIEW 2		Conditional	24	

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Cross Connection			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS10	Certification of Cross Connection Testers	N		\$65	HQ	AA
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	TR	Technical Review		Required	24	
	TRD	Technical Review Deficiency		Conditional	60	
	TR2	Technical Review 2		Conditional	24	
Distribution System Modifications			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS32	Approval Of Distribution System Mods More Than 3300 People	N		\$1,055	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMIN REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	90	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	48	
	TRD	TECH REVIEW DEFICIENCY		Conditional	90	
	TR2	TECH REVIEW 2		Conditional	48	
WS33	Approval Of Distribution System Mods Less Than 3300 People	N		\$525	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMIN REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	90	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	48	
	TRD	TECH REVIEW DEFICIENCY		Conditional	90	
	TR2	TECH REVIEW 2		Conditional	48	

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

New Source Approval		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS13	Approval To Site Source Under 70 Gals/Min	N	\$1,380	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS15	Approval Of Pumping Test Report And Approval To Construct	N	\$1,585	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS17	Approval To Site Source 70 Gals/Min Or Greater	N	\$4,850	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS19	Approval Of Pump Test Report For Source 70 Gal/Min Great	N	\$8,205	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	48
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	48
		TR	TECHNICAL REVIEW	Required	96
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	96
WS20	Approval To Construct Source 70 Gal/Min Greater	N	\$2,910	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

New Source Approval		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS37	Approv Of New Trnsient Non-Comm Source <10K Gpd	N	\$810	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
New Technology Approval		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS11	Approval Of New Technology	N	\$2,265	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WS12	Major New Treatment Technology (Irp)	N	Negotiated	HQ	PIMS
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
WS27	Approval Of Drinking Water Additives	N	\$290	HQ/Reg	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	30
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	30
		TR2	TECH REVIEW 2	Conditional	24
WS28	Approval Of One Vending Site/Source Prototype	N	\$1,380	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

New Technology Approval			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS31	Approval Of Vending Machines W/ Previous 3Rd Party Approval	N		\$290	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMIN REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	60	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	48	
	TRD	TECH REVIEW DEFICIENCY		Conditional	60	
	TR2	TECH REVIEW 2		Conditional	48	
Public Water System Modifications			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS26	Sale/Acquisition Of Land	N		\$1,290	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	TR	TECHNICAL REVIEW		Required	48	
	TRD	TECH REVIEW DEFICIENCY		Conditional	60	
	TR2	TECH REVIEW 2		Conditional	48	
WS36	Abandonment Of Source	N		\$70	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	TR	TECHNICAL REVIEW		Required	48	
	TRD	TECH REVIEW DEFICIENCY		Conditional	60	
	TR2	TECH REVIEW 2		Conditional	48	
Underground Injection Control			<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS06A	Uic Reg Codes 5A24 Except Abandoned, 5B6, 5C4, 5G1, 5K	Y		\$585	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMIN REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	60	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	24	
	TRD	TECH REVIEW DEFICIENCY		Conditional	60	
	TR2	TECH REVIEW 2		Conditional	24	
WS06B	Uic Reg 4P, 5A19, 5A23, 5B2, 5B3, 5C3, 5C5, 5H2, 5H3, 5X	Y		\$290	HQ	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>	
	AR	ADMIN REVIEW		Required	24	
	ARD	ADMIN REVIEW DEFICIENCY		Conditional	60	
	AR2	ADMIN REVIEW 2		Conditional	24	
	TR	TECHNICAL REVIEW		Required	24	
	TRD	TECH REVIEW DEFICIENCY		Conditional	60	
	TR2	TECH REVIEW 2		Conditional	24	

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Underground Injection Control		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS06C	Uic Reg Codes 5A18, 5A24 Abandoned Only, 5B1, 5C2, 5E, 5H1	Y	\$110	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	24
WS06D	Uic Pre-Closure Notification	Y	\$110	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	24
Vending Machine Source		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS30A	Install One Type Vending Machine @ 1-9 Locs On Same Sys	N	\$290	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS30B	Install One Type Pou/Poe Device @ 1-9 Loc On Same Sys	N	\$290	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS35A	Install One Type Vending Mach @ 10+ Locations Same Sys	N	\$1,630	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Vending Machine Source		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS35B	Install One Type Pou/Poe Device @ 10+ Locations Same Sys	N	\$1,630	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
Water Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS21A	Approv To Conduct Pilot Study; <40K Gpd	N	\$320	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS21B	Approv To Conduct Pilot Study; 40K - 200K Gpd	N	\$485	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS21C	Approv To Conduct Pilot Study; 200K - 1 Mgp/d	N	\$850	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS21D	Approv To Conduct Pilot Study; > 1 Mgp/d	N	\$1,135	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS22A	Approval Of Pilot Study Report; Less 40K Gpd	N	\$915	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS22B	Approval Of Pilot Study Report; 40K-200K Gpd	N	\$1,600	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Water Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS22C	Approval Of Pilot Study Report; 200K-1Mgd	N	\$2,160	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS22D	Approval Of Pilot Study Report; >1Mgd	N	\$2,850	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WS23A	Approval To Construct Facility <40,000 Gpd	N	\$1,125	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WS23B	Approval To Construct Facility >40,000 But <200,000 Gpd	N	\$1,780	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WS23C	Approval To Construct Facility 200,000 Gpd But <1 Mgd	N	\$5,005	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Water Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS24	Construct Treatment Facility => 1 Mgd (Irp)	N	Negotiated	Region	PIMS
<i>Timeline Basis:</i> Negotiated		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WS25A	Modification Of Treatment Facility < 40K Gpd	N	\$550	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
WS25B	Modification Of Treatment Facility 40K To < 200K Gpd	N	\$860	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
WS25C	Modification Of Treatment Facility 200K To < 1 Mil Gpd	N	\$2,210	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48
WS25D	Modification Of Treatment Facility 1 Mil Or > Gpd	N	\$3,070	Region	PIMS
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Water Treatment		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS29	Approval Of Chem Add Retrofit Serving More Than 3300 People	N	\$705	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48
WS34	Approval Of Chem Add Retrofit Serving Less Than 3300 People	N	\$350	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	48
Well Drilling		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS39	Well Driller Certification	N	\$200	HQ	eDEP
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	45
WS40	Well Driller Certification Renewal	N	\$100	HQ	eDEP
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	45
WS41	Well Driller Certification with Waiver	N	\$400	HQ	eDEP
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	45
WS42	Well Drilling Rig	N	Formula	HQ	eDEP
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	45

Schedule of Permit Application Fees and Timelines

Program/Division: **WATER SUPPLY/DRINKING WATER**

BWR

Zone 2 Determination		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WS07	Zone 2: Approval To Conduct Pumping Test For Delineation	N	\$970	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	36
WS08	Approval Of Zone 2 Delineation For Existing Drk Water Source	N	\$3,235	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Program/Division: **WATERSHED MANAGEMENT**

BWR

Herbicide Applications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM04	License To Apply Herbicides To Waters Of The Commonwealth	N	\$95	WMO	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	14
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	14
		TR2	TECH REVIEW 2	Conditional	24
Surface Water NPDES General Permits & Plans		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM09	Stormwater Management Plan	N	\$890	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

Surface Water NPDES General Permits & Plans		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM15	General Permit Npdes Notice Of Intent	N	\$500	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	10
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	10
		TR	TECHNICAL REVIEW	Required	21
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	21
Surface Water NPDES Individual Permits		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM05	Initial/Renewal Major Npdes Permit	N	\$6,785	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	200
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	200
		TRD	TECH REVIEW DEFICIENCY	Conditional	200
		TR2	TECH REVIEW 2	Conditional	200
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	90
WM06	Initial/Renewal Minor Npdes Permit	N	\$3,170	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	150
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	150
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	90
WM07	Modification Of Major/Minor Npdes Permit	N	\$985	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	90
		PN	PUBLIC NOTICE	Required	20
		PC1	DEP REVIEW OF PUBLIC COMMENTS 1	Required	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WATERSHED MANAGEMENT**

BWR

Surface Water NPDES Individual Permits		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM16	Plan Approval New/Modified Facility	N	\$980	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72

Water Withdrawals		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WM01	Transfer Of Water Withdrawal Permit/Registration	N	\$215	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	24
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	24

WM02	Amendment To Water Withdrawal Permit	N	\$1,940	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	36
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	36

WM03	Water Withdrawal Permit	N	\$4,100	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	90
		AR2	ADMIN REVIEW 2	Conditional	30
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	90
		TR2	TECH REVIEW 2	Conditional	72

Program/Division: **WETLANDS & WATERWAYS**

BWR

Water Quality Certifications Dredge		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW07	Major Dredging Projects, 5,000 Cubic Yards Or Greater	N	\$490	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	96
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	96

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Water Quality Certifications Dredge		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW08	Minor Dredging Projects, < 5,000 Cubic Yards, > 100 Cy	N	\$95	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WW09A	Wqcert Increase In Dredge Volume	N	\$90	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WW09B	Wqcert Change In Dredge Or Disposal Methods	N	\$190	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WW09C	Change In Certification Conditions	N	\$280	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
Water Quality Certifications Fill/Excavation		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW10	Major Fill And Excavation Projects	N	\$490	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	96
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	96

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Water Quality Certifications Fill/Excavation		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW11	Minor Fill And Excavation Projects	N	\$95	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
Waterways Combined License & Water Quality Certification		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW26	Ww License & Wqc For Dredge/Fill/Excavation	N	Formula	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	96
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	96
WW27	Amend Ww License & Wqc For Dredge/Fill/Excavation	N	\$302	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
Waterways License Applicability & Compliance Certifications		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW04	Determination Of Applicability	N	\$100	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways License Applicability & Compliance Certifications

Presumptive Approval

Fee

Reviewing Office

System

WW05A	Cert Of Compliance - Water Dependent	N	\$100	Region	PIMS
--------------	---	----------	--------------	---------------	-------------

<i>Timeline Basis:</i>	<i>310CMR4.00-defined</i>	<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>
		AR ADMIN REVIEW	Required	24
		ARD ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2 ADMIN REVIEW 2	Conditional	24
		TR TECHNICAL REVIEW	Required	292
		TRD TECH REVIEW DEFICIENCY	Conditional	180
		TR2 TECH REVIEW 2	Conditional	146

WW05B	Cert Of Compliance - Nonwater Dependent	N	\$215	Region	PIMS
--------------	--	----------	--------------	---------------	-------------

<i>Timeline Basis:</i>	<i>310CMR4.00-defined</i>	<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>
		AR ADMIN REVIEW	Required	24
		ARD ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2 ADMIN REVIEW 2	Conditional	24
		TR TECHNICAL REVIEW	Required	292
		TRD TECH REVIEW DEFICIENCY	Conditional	180
		TR2 TECH REVIEW 2	Conditional	146

WW05C	Cert Of Compliance - Extended Term	N	\$430	Region	PIMS
--------------	---	----------	--------------	---------------	-------------

<i>Timeline Basis:</i>	<i>310CMR4.00-defined</i>	<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>
		AR ADMIN REVIEW	Required	24
		ARD ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2 ADMIN REVIEW 2	Conditional	24
		TR TECHNICAL REVIEW	Required	292
		TRD TECH REVIEW DEFICIENCY	Conditional	180
		TR2 TECH REVIEW 2	Conditional	146

Waterways Non-simplified Licenses

Presumptive Approval

Fee

Reviewing Office

System

WW01A	Ww License Residential Water-Dependent 4 Units Or Less	N	\$215	HQ/Reg	PIMS
--------------	---	----------	--------------	---------------	-------------

<i>Timeline Basis:</i>	<i>310CMR4.00-defined</i>	<i>Timeline Tasks</i>	<i>Necessity</i>	<i>Days Allowed</i>
		AR ADMIN REVIEW	Required	30
		ARD ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2 ADMIN REVIEW 2	Conditional	30
		PN PUBLIC NOTICE	Required	30
		TR TECHNICAL REVIEW	Required	60
		TRD TECH REVIEW DEFICIENCY	Conditional	60
		TR2 TECH REVIEW 2	Conditional	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Non-simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW01B	Ww License-Other Water-Dependent Projects	N	\$330	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW01C	Ww License-Water-Dependent Projects-Extended Terms	N	\$3,350	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW03A	Ww Lic Amendment-Wd Use 4 Units Or Less	N	\$100	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW03B	Ww Lic Amendment-Other Wd Use Projects	N	\$125	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Non-simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW03C	Ww Lic Amend - Residential Nwd Use 4 Units Or Less	N	\$530	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW03D	Ww Lic Amend - Other Nwd Use Projects	N	\$1,000	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW03E	Amendment For License With Extended Terms (Wd/Nwd)	N	\$1,335	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	30
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	30
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW14A	Partial App-Nwd Residential-4 Units Or Less	N	\$665	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Non-simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW14B	Partial App-Other Nwd Use Projects	N	\$2,005	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW14C	Partial App-Nwd Use Projects With Extended Terms	N	\$3,350	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	90
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	60
WW15A	Full App-Nwd Residential Use 4 Units Or Less	N	\$665	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
WW15B	Full App-Other Nwd Use Projects	N	\$2,005	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Non-simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW15C	Full App-Other Nwd Use Projects With Extended Terms	N	\$3,350	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	60
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
WW16A	Nwd Residential - 4 Units Or Less - In A Muni Harbor Plan	N	\$665	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	75
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
WW16B	Other Nwd Use -In A Muni Harbor Plan	N	\$2,005	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	75
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
WW16C	Nwd Use With Extended Terms In A Muni Harbor Plan	N	\$3,350	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	45
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	45
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	75
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Non-simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW17A	Joint Mepa App- Nwd Residential Use-4 Units Or Less	N	\$665	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	90
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	25
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30
WW17B	Joint Mepa App- Other Nwd Use Project	N	\$2,005	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	90
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	25
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30
WW17C	Joint Mepa App-Other Nwd Use Proj-Extended Terms	N	\$3,350	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	90
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	25
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30
Waterways Pilot Technologies		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW25	Ww License Water-Dependent Pilot Technology	N	\$440	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	30
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	30

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Waterways Simplified Licenses		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW06	Ww License Small Structure Accessory To Residence	N	\$75	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	72
WW12	Renewal Ww License Small Structure Accessory To Residence	N	\$35	HQ/Reg	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	24
		PN	PUBLIC NOTICE	Required	30
		TR	TECHNICAL REVIEW	Required	48
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	48
WW24	Ww General Lic For Small Structure Accessory To Residence	N	\$75	HQ	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	60
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	60
		AR2	ADMIN REVIEW 2	Conditional	60
		TR	TECHNICAL REVIEW	Required	45
		TRD	TECH REVIEW DEFICIENCY	Conditional	60
		TR2	TECH REVIEW 2	Conditional	45
Wetlands		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW13	Wetlands Renovation Of Abandoned Cranberry Bogs	N	\$785	Region	PIMS
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		AR	ADMIN REVIEW	Required	24
		ARD	ADMIN REVIEW DEFICIENCY	Conditional	180
		AR2	ADMIN REVIEW 2	Conditional	24
		TR	TECHNICAL REVIEW	Required	72
		TRD	TECH REVIEW DEFICIENCY	Conditional	180
		TR2	TECH REVIEW 2	Conditional	72
WW18	Wetlands Notice of Intent & Abbreviated NOI	N	Formula	Region	WIRE
<i>Timeline Basis: 310CMR4.00-defined</i>		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	21
		TRD	TECH REVIEW DEFICIENCY	Conditional	21
		TR2	TECH REVIEW 2	Conditional	21

Schedule of Permit Application Fees and Timelines

Program/Division: **WETLANDS & WATERWAYS**

BWR

Wetlands		<i>Presumptive Approval</i>	<i>Fee</i>	<i>Reviewing Office</i>	<i>System</i>
WW19	Wetlands Superseding Determination of Applicability	N	\$120	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40
WW20A	Wetlands Superseding Order of Conditions Single Family Home	N	\$120	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40
WW20B	Wetlands Superseding Order of Conditions All Other	N	\$245	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40
WW21	Wetlands Superseding Order of Resource Area Delineation	N	\$120	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40
WW22	Wetlands Variance	N	\$9,830	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40
WW23	Wetlands Variance with Claim of Taking	N	\$245	Region	WIRe
<i>Timeline Basis:</i> 310CMR4.00-defined		<i>Timeline Tasks</i>		<i>Necessity</i>	<i>Days Allowed</i>
		TR	TECHNICAL REVIEW	Required	70
		TRD	TECH REVIEW DEFICIENCY	Conditional	70
		TR2	TECH REVIEW 2	Conditional	40